

Serial No. 10/729,288

AMENDMENTS TO THE CLAIMS

1. (Currently amended) A protector for vehicles' door openings with hingedly mounted doors with proximate and distal ends that pivot substantially about a vertical axis, comprising:

A) at least ~~one~~ two frustro-conical roller ~~member with~~ members each having first and second ends, said first end ~~ends~~ having a diameter of a predetermined dimension that is larger than the diameter of said second ~~ends~~, said first end of one of said roller members being mounted on ~~the~~ an upper frame portion for a door of a vehicle that coincides with said distal end and the other roller members are mounted coaxially and contiguously to said roller members having its first end coincide with said distal end, said roller members including spring bias means;

B) at least ~~one~~ two rollable sheet ~~sheets~~ each having first, second, third and fourth lateral ends, said first lateral end being straight and affixed to one of said at least ~~one~~ two frustro-conical roller ~~member~~ members, said second lateral end is straight, and said third and fourth lateral ends being cooperatively curved and said third lateral end extending for a predetermined longer distance than said fourth lateral end and further including means for releasably joining said third lateral ends with said fourth lateral ends of contiguous rollable sheets, said spring bias means urging the rolling back of said rollable sheets after being rolled out; and

Serial No. 10/729,288

1
2 C) means for removably mounting said second lateral end to ~~the~~
3 an upper end of said door so that when said door is swung
4 open said rollable sheet is unrolled substantially covering the
5 area adjacent to said door's opening.
6

7 2. (Cancelled).
8

9 3. (Cancelled).
10

11 4. (Currently amended) The protector set forth in claim 31
12 wherein said means for releasably joining said third and fourth
13 lateral ends of said contiguous rollable sheets includes zipper means.
14

15 5. (Currently amended) The protector set forth in claim 3 wherein
16 said means for releasably joining said third and fourth lateral ends of
17 said contiguous rollable sheets includes male and female hook
18 means.
19

20 6. The protector set forth in claim 3 wherein said means for
21 removably mounting said second lateral end includes male and
22 female hook means.
23

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.